

A'ent in an amount effective for treating Condyloma acuminata.

A² 4. (Amended) The method according to claim ¹~~5~~, wherein said composition is in the form of a suppository having 100-500 mg [/] of the tea catechin in a capsule.

Please cancel claims 1 to ¹~~4~~, without prejudice.

Please add the following claims:

5. ⁵~~8~~. The method according to claim ⁵~~8~~, wherein said tea catechin comprises (-)-epigallocatechin.

6. ³~~10~~. The method according to claim ³~~7~~, wherein the tea catechin is in an amount of 12-18% by weight.

✓ 7. ³~~11~~. The method according to claim ³~~7~~, wherein the tea catechin is in an amount of 15% by weight.

A³ ✓ 8. ⁴~~12~~. The method according to claim ⁴~~8~~, wherein the capsule contains 200-300 mg of the tea catechin.

9. ⁴~~13~~. The method according to claim ⁴~~8~~, wherein the capsule contains 250 mg of the tea catechin.

10. ³~~14~~. The method according to claim ³~~7~~, wherein the ointment

contains vaseline as a base to form a cream.

^{11.}
~~15.~~ The method according to claim ³~~7~~, wherein the ointment is applied to external genital organs.

^{12.}
~~16.~~ The method according to claim ⁴~~8~~, wherein the suppository is applied to the vagina of a human.

a³ cont
^{13.}
~~17.~~ The method according to claim ¹~~5~~, wherein the infected area is the vagina.

^{14.}
~~18.~~ The method according to claim ¹~~5~~, wherein the infected area is an external genital organ.

^{15.}
~~19.~~ The method according to claim ¹~~5~~, wherein the infected area is the cervix.
